



Revision number: 1

Purchasing Agent: Frank Volk

Item: GAS & ELECTRIC GOLF CARTS (NEW)

Vendor: 92367A HIGHLAND GOLF CARS
431 WEST 300 NORTH
SALT LAKE CITY, UT 84103-1117

Internet Homepage: www.highlandgolf.net

Telephone: 801-364-9445

Fax number: 801-328-9311

Contact: STEVE OSBORNE

Email address: steveo@highlandgolf.net

Brand/trade name: YAMAHA AND EZGO (TEXTRON)

Price: SEE ATTACHED PRICE LIST

Terms:

Effective dates: 03/22/04 through 03/21/06 w/2-1 year renewal options (2008)

Days required for delivery: 14 - 30

Price guarantee period: Two year with renewal options

Minimum order: 1

Min shipment without charges:

Other conditions: This contract is potentially renewable until March 21, 2008.

THIS IS A NEW CONTRACT. NEW PURCHASING AGENT

Bid No. EN4922 Replaces MA274

USAGE FIGURES ARE TO BE SUBMITTED QUARTERLY TO STATE PURCHASING.

This contract covers only those items listed in the price schedule. It is the responsibility of the agency to ensure that other items purchased are invoiced separately. State agencies will place orders directly with the vendor (creating a PG in Finet) and make payments for the same on a PV referencing the original PG. Agencies will return to the vendor any invoice which reflects incorrect pricing.

**GAS GOLF CART - YAMAHA****\$ 3,399.00**

Engine:	11.5 hp single cylinder, overhead valve, four stroke, forced air cooling splash oil filter system
Transmission:	Continuous variable transmission, with exclusive torque sensor clutch and overdrive primary reduction ratio is continuously variable from 3.10:1-0.80:1 depending on load
Fuel Tank:	6.3 Gallons
Battery:	12-volt maintenance free
Indicators:	Low oil indicator
Tires:	(4 PLY rated) 18x8.5x8
Tire Pressure:	20 psi
Total Load Capacity:	800 lbs. Including operator, passenger and accessories
Ground Clearance:	3.8 in. At differential
Maximum Height:	46.9 in. without sun top
Chassis:	Welded high yield strength tubular steel with powder coat paint
Body and Finish:	High impact surface made of dent and scratch resistant material, to be mounted on 4-wheel chassis "WHITE or equal"
Safety:	Dash mounted key switch, reverse warning indicator, 'deadman' accelerator control, integral rollaway safety beeper and speed control
Steering Wheel:	Dual handgrips, pencil/scorecard holder
Brakes:	Dual rear wheel, self-adjusting mechanical drum brakes
Parking Brake:	Located on corner of brake pedal
Front Suspension:	Independent strut
Rear Suspension:	Front center rubber bush pivoted trailing arm with link suspension
Steering:	Rack and pinion
Seating:	Vinyl over virgin foam with plastic water resistant base
Warranty:	5-Year limited warranty
Accessories:	2 sand and seed bottles and bracket per cart Sun top

**ELECTRIC GOLF CART - YAMAHA****\$3,325.00**

Motor:	48 Volt high-efficiency motor with internal solid state tachometer 3.4 hp @ 3540 rpm 11.4 max
Drive Train:	Direct motor shaft connected to transaxle pinion shaft
Electrical system:	48 Volt, six 8 volt deep cycle U.S. batteries
Speed control:	Solid state micro processor with high-efficiency switching
Speed:	10 - 15 mph
Charger:	Microprocessor based, auto stop/start, LED mode indicators, FCS full charge sensor lightening/surge protector, reverse polarity protection AC circuit breaker, fused DC output, current limiting
Tires:	(4 PLY rated) 18x8.5x8
Tire Pressure:	20 psi
Total Load Capacity:	800 lbs. Including operator, passenger and accessories
Ground Clearance:	3.8 in. At differential
Maximum Height:	46.9 in. without sun top
Chassis:	Welded high yield strength tubular steel with powder coat paint
Body and Finish:	High impact surface made of dent and scratch resistant material, to be mounted on 4-wheel chassis "WHITE or equal"
Safety:	Dash mounted key switch, reverse warning indicator, 'deadman' accelerator control, integral rollaway safety beeper and speed control
Steering Wheel:	Dual handgrips, pencil/scorecard holder
Brakes:	Dual rear wheel, self-adjusting mechanical drum brakes
Parking Brake:	Located on corner of brake pedal
Front Suspension:	Independent strut
Rear Suspension:	Front center rubber bush pivoted trailing arm with link suspension
Steering:	Rack and pinion
Seating:	Vinyl over virgin foam with plastic water resistant base
Warranty:	5 - Year limited warranty
Accessories:	2 sand and seed bottles and bracket per cart Sun top

**TXT GAS GOLF CAR - EZGO (TEXTRON)****\$3,457.00****STANDARD EQUIPMENT:**

ENGINE	9 hp (6.7 kW) 18 ci (295 cc) Twin Cylinder, Air Cooled, Overhead Cam, Overhead Valve Pressurized Lubrication with Washable, Permanent Oil Filter Internal Balance Shaft Solid State Ignition with RPM Limiter Replaceable Dry Cartridge Air Filter Fixed Jet Bowl Carburetor, Pulse Fuel Pump
TRANSAXLE	13.32:1 Helical Geared with Neutral Lock & Ground Speed Governor
TRANSMISSION	Automatic Continuously Variable Transmission (CVT)
FUEL TANK	6 Gallon (23 Liters) Tank. 36 lbs. (16 kg) Fuel Weight
BATTERY	12-Volt Maintenance Free (430 CCA, 60 Minute Reserve)
TIRES (4 ply rated)	18x8.50x8
TIRE PRESSURE	18 - 22 psi (120 - 150 kPa)
TOTAL LOAD CAPACITY	800 lbs. (362 kg) including operator, passenger, cargo and accessories)
GROUND CLEARANCE	4.25 in. (10.8 cm) at differential
MAXIMUM HEIGHT	67 in. (170 cm) with sun top
CHASSIS	Welded high yield strength tubular steel with DuraShield TM powder coat paint
BODY AND FINISH	Flexible, impact resistant DuraShield TM Injection Molded TPE (Thermoplastic Elastomer) with Base coat/Clear coat finish
SAFETY	Dash mounted key switch, reverse warning indicator, 'deadman' accelerator control, integral handgrip on hip restraints, manual forward/reverse selector with 'neutral'
STEERING WHEEL	Dual handgrips, pencil/scorecard holder
BRAKES	Dual rear wheel, self-adjusting mechanical drum brakes.
PARKING BRAKE	Automatic park brake release with self-compensating system
FRONT SUSPENSION	Leaf springs with hydraulic shock absorbers
REAR SUSPENSION	Leaf springs with hydraulic shock absorbers
STEERING	Self-compensating single reduction rack and pinion
DASH PANEL	Scuff resistant glass fiber TPO with tee, ball and four drink holders
SEATING	Formed fabric backed vinyl covers over cushion foam. Seating for operator and one passenger

FEATURES:

- **Body & Finish:** DuraShield TM body of automotive quality injection molded TPE (thermoplastic elastomer). Molded in color with automotive color coat/clear coat finish.
- **Chassis:** Welded high yield strength tubular steel with DuraShield powder coat paint.
- **Safety:** Dash mounted key switch, reverse warning indicator, "deadman" accelerator control, integral handgrip on hip restraints, manual forward/reverse selector with "neutral".
- **Dash Panel:** Tee, ball, and 4 position drink holders of scuff resistant glass fiber reinforced thermoplastic olefin.
- **Steering Wheel:** Dual handgrips, pencil/scorecard holder.

**TXT ELECTRIC - EZGO (TEXTRON)****\$3,125.00****STANDARD EQUIPMENT:**

MOTOR	36 VOLT DC high efficiency series wound, brazed armature, solid copper windings. 2.5 hp (1.9 kw @ 2700 rpm)
DRIVE TRAIN	Direct motor shaft connected to transaxle pinion shaft
ELECTRICAL SYSTEM	36 volt DC, six, 6 volt deep cycle storage batteries
SPEED CONTROL	Solid State continuously variable speed controller
TRANSAXLE	High efficiency differential with helical gears, 12.44:1 ratio
SPEED	14.25 mph (23 kph):1:5%
CHARGER	PowerWise TM portable, fully automatic Refer to specs. Of charger supplied with vehicle. For locations outside US and Canada, refer to charger manufacturer for specifications and recommendations.
WEIGHT(without batteries)	550 LBS (250 kg)
TIRES (4 ply rated)	18x8.50x8
TIRE PRESSURE	18 - 22 psi (120 - 150 kPa)
TOTAL LOAD CAPACITY	800 lbs. (362 kg) including operator, passenger, cargo and accessories)
GROUND CLEARANCE	4.25 in. (10.8 cm) at differential
MAXIMUM HEIGHT	67 in. (170 cm) with sun top
CHASSIS	Welded high yield strength tubular steel with DuraShield TM powder coat paint
BODY AND FINISH	Flexible, impact resistant DuraShield TM Injection Molded TPE (Thermoplastic Elastomer) with Base coat/Clear coat finish
SAFETY	Dash mounted key switch, reverse warning indicator, 'deadman' accelerator control, integral handgrip on hip restraints, manual forward/reverse selector with 'neutral'
STEERING WHEEL	Dual handgrips, pencil/scorecard holder
BRAKES	Dual rear wheel, self-adjusting mechanical drum brakes.
PARKING BRAKE	Automatic park brake release with self-compensating system
FRONT SUSPENSION	Leaf springs with hydraulic shock absorbers
REAR SUSPENSION	Leaf springs with hydraulic shock absorbers
STEERING	Self-compensating single reduction rack and pinion
DASH PANEL	Scuff resistant glass fiber TPO with tee, ball and four drink holders
SEATING	Formed fabric backed vinyl covers over cushion foam. Seating for operator and one passenger

FEATURES: SAME AS ABOVE.

**TXT ELECTRIC PRECISION DRIVE SYSTEM - EZGO (TEXTRON)****\$3,225.00****STANDARD EQUIPMENT**

MOTOR	36 volt DC high efficiency series wound, brazed armature, solid copper windings. 2.5 hp (1.9 kw) @ 2700 rpm
DRIVE TRAIN	Direct motor shaft connected to transaxle pinion shaft
ELECTRICAL SYSTEM	36 volt DC, six 6 volt deep cycle storage batteries
SPEED CONTROL	Solid State continuously variable speed controller
TRANSAXLE	High efficiency differential with helical gears, 12.44:1 ratio
SPEED	See Table

PERFORMANCE OPTIONS	TOP SPEED	PEDAL-UP BRAKING STRENGTH	ANTI-STALL PROTECTION
All Terrain	13-13.5 mph (21 - 22 kph)	None	Yes
Mild Hill	14-14.5 mph (22.5 - 23 kph)	Mild	Yes
Steep Hill	13-13.5 mph (21 - 22 kph)	Heavy	Yes

CHARGER	PowerWise TM portable, fully automatic Refer to specs. Of charger supplied with vehicle. For locations outside US and Canada, refer to charger manufacturer for specifications and recommendations.
WEIGHT(without batteries)	550 LBS (250 kg)
TIRES (4 ply rated)	18x8.50x8
TIRE PRESSURE	18 - 22 psi (120 - 150 kPa)
TOTAL LOAD CAPACITY	800 lbs. (362 kg) including operator, passenger, cargo and accessories)
GROUND CLEARANCE	4.25 in. (10.8 cm) at differential
MAXIMUM HEIGHT	67 in. (170 cm) with sun top
CHASSIS	Welded high yield strength tubular steel with DuraShield TM powder coat paint
BODY AND FINISH	Flexible, impact resistant DuraShield TM Injection Molded TPE (Thermoplastic Elastomer) with Base coat/Clear coat finish
SAFETY	Dash mounted key switch, reverse warning indicator, 'deadman' accelerator control, integral handgrip on hip restraints, manual forward/reverse selector with 'neutral'
STEERING WHEEL	Dual handgrips, pencil/scorecard holder
BRAKES	Dual rear wheel, self-adjusting mechanical drum brakes.
PARKING BRAKE	Automatic park brake release with self-compensating system
FRONT SUSPENSION	Leaf springs with hydraulic shock absorbers
REAR SUSPENSION	Leaf springs with hydraulic shock absorbers
STEERING	Self-compensating single reduction rack and pinion



DASH PANEL	Scuff resistant glass fiber TPO with tee, ball and four drink holders
SEATING	Formed fabric backed vinyl covers over cushion foam. Seating for operator and one passenger

FEATURES: SAME AS ABOVE.

FINET COMMODITY CODE(S): FOR AGENCY USE ONLY

92962000000-MOTORCYCLES, BICYCLES, MOTOR SCOOTERS, AND TRUCKSTERS (INCLUDING GOLF CARTS)